



# ASTRA

COLLECTION



REDEFINING SPACES,  
ONE SURFACE AT A TIME

6 0 0 X 6 0 0 M M



03 - Letter from Leadership  
05 - Inside Our Company  
07 - Design Stories  
09 - Our Finishes  
11 - Specifications  
13 - Where to Use  
15 - The Collection  
39 - Color Range  
55 - Technical Specifications



# CHAIRMAN'S MESSAGE

My vision is to create surfaces that elevate everyday living through innovation, integrity, and timeless design.

## MR. KARSHAN L. PATEL CHAIRMAN



**OASIS TILES-INDIA**  
oasistiles.in



## ULTRA MODERN SURFACES FOR SPACES EXTRAORDINARY

Across the world, technological innovation continues to reshape industries — and the ceramic sector is no exception. What began as a traditional craft has evolved into a design-driven, precision-engineered industry, positioning India as the 3rd largest tile manufacturer globally. This transformation reflects not only rapid technological progress but also a growing demand for surfaces that elevate functionality, enhance spatial experience, and align with the modern world's evolving architectural expectations.

The Oasis Group stands at the forefront of this revolution. Founded in 2006, the company has grown into one of India's most respected names in vitrified and wall tiles, as well as sanitary ware. Recognized as one of India's Greatest Brands & Leaders, Oasis continues to build a reputation for trust, consistency, and excellence among designers, architects, and consumers who seek products that deliver both performance and long-lasting value in every application.

What sets Oasis apart is a relentless commitment to research, technology, and global collaboration. Our R&D capabilities — supported by advanced machinery sourced from Italy and Spain — empower us to design surfaces that blend creativity with engineering precision. As an industry trendsetter, we consistently introduce materials that elevate aesthetics while delivering durability, sustainability, and technical excellence, ensuring that every product aligns with the highest standards of modern architecture and global design trends.

With a production capacity of 55,000 sq. m. per day and over 2.5 lakh sanitary pieces annually, Oasis has built a strong foundation to support large-scale projects across domestic and international markets. Our extensive portfolio includes glazed vitrified tiles, outdoor vitrified tiles, full-body vitrified tiles, ceramic wall tiles, and an exclusive sanitaryware collection — each crafted to reflect Oasis's core vision of creating ultra-modern surfaces that enrich spaces, empower creativity, and bring every design imagination to life with precision. OASIS TILES-INDIA

## OUR COLLECTION



## EXPERIENCE UNMATCHED VARIETY AND VERSATILITY

Let extravagance pour into your space through tiles in versatile sizes, designs and styles. Oasis brings you revolutionary ceramic creation that defines fine craftsmanship and matches the present-age living standards. The remarkable sizes are crafted to suit versatile spaces from the kitchen, bathroom, dining, living, walls and more. These surfaces bring alive the elegant charm and amplify the

appeal with their rich attributes. These tiles showcase the amalgamation of style & substance. The excellent resilience can withstand tests of time, and the marvelous look can withstand the trends. Further, the class-apart standard brings harmony into vivid spaces that ideally set the living tone.



## COMPANY STRENGTH

We aim to elevate the essence of the lifestyle that best suits the contemporary mood. Our strength lies in our never-ending spirit to bring people's vision to reality. We have over five manufacturing units where we create excellence and

build marvels with over 65K sq.m/day tiles production & 25K pcs/month sanitary ware production capacity. We have a good global presence, exporting our products to 20+ countries and our products comply with the Indian Standard mark.

# 5

Manufacturing  
Units

# 20+

Export  
Countries

# 65K

Sq. M / Day Tiles  
Production

# 25K


Pcs / Month Sanitary  
Ware Production




Indian Standard  
Compliance




Where Earthy Textures  
Create A Lasting Sense Of  
Depth And Elegance




Beige



Black




Brown



Cotta




Grey



Pearl




Sand



Silver

Eight thoughtfully curated colours bring warmth, depth and character to every space. Inspired by the subtle tones of nature, Astra offers a versatile palette designed to complement diverse architectural styles with effortless harmony.





Natural



Rock

Timeless elegance with authentic stone character. Available in 8mm & 12mm thickness for versatile applications. Perfect for spaces seeking organic beauty and refined simplicity. Natural finish brings the serenity of stone into your home.

Raw texture meets premium craftsmanship. 12mm structured finish brings dramatic depth and visual impact. Perfect for statement walls and dynamic spaces. The Rock punch delivers rugged personality while maintaining the refined quality Astra Collection is known for.

ASTRA  
COLLECTION

One Collection, Three Beautiful  
Finishes, Infinite Combinations



[www.oasistiles.in](http://www.oasistiles.in)

Built for bold, outdoor-ready aesthetics. 12mm thickness provides durability without compromise. Designed for high-traffic areas and contemporary spaces. The Paver finish combines strength with sophisticated charm—ideal for patios, terraces, and modern interiors.

Paver






Astra Collection offers premium thickness options tailored to each finish. Natural punch provides flexibility with 8mm and 12mm choices—select 8mm for contemporary interiors or 12mm for high-traffic durability. Paver and Rock punches are optimized at 8mm, delivering the perfect balance of performance and modern design. Each thickness is engineered to maximize the distinctive character of its finish while ensuring lasting quality and effortless installation.

The perfect balance of scale and versatility. 600x600mm tiles create seamless visual flow while offering practical installation efficiency. Large enough to minimize grout lines and enhance spaciousness, yet manageable for precise placement. Ideal for residential and commercial spaces seeking modern proportions and contemporary aesthetics.

**600X  
600MM**



Precision Dimensions, Superior  
Thickness, Infinite Possibilities



[www.oasistiles.in](http://www.oasistiles.in)





Commercial area

**PARKING AREA, HOSPITAL, AIRPORT, SCHOOL, MALL, HOTEL,  
INDUSTRIAL AREA, RAILWAY STATION, RELIGIOUS PLACES.**

Astra Collection adapts beautifully to every environment. From residential living spaces and commercial high-traffic areas to outdoor terraces and statement accent walls, these tiles perform with premium elegance. Natural finish brings warmth and sophistication to intimate spaces, Paver delivers contemporary durability for demanding environments, while Rock creates dramatic focal points that captivate. Whether kitchen backsplashes, bathroom walls, retail installations, or garden features—Astra transforms any application into a design masterpiece.

# Transform Any Space with Astra



Reception area



Swimming pool area



# ASTRA BEIGE

Wall: Astra Beige Paver & Astra Beige Rock



Floor: Astra Beige Natural

[www.oasistiles.in](http://www.oasistiles.in)





## ASTRA BLACK

Wall: Astra Black Paver & Astra Black Rock  
Floor: Astra Black Natural







## ASTRA BLACK

Wall: Astra Black Paver & Astra Black Rock

Floor: Astra Black Natural



# ASTRA BROWN

Floor: Astra Brown Natural



Wall: Astra Brown Paver

[www.oasistiles.in](http://www.oasistiles.in)





## ASTRA COTTA

Wall: Astra Cotta Natural & Astra Cotta Paver  
Floor: Astra Cotta Rock

[www.oasistiles.in](http://www.oasistiles.in)







## ASTRA COTTA


Wall: Astra Cotta Natural & Astra Cotta Paver

Floor: Astra Cotta Rock



# ASTRA GREY

Wall: Astra Grey Rock







## ASTRA PEARL

Wall: Astra Pearl Natural  
Floor: Astra Pearl Paver





## ASTRA PEARL

Wall: Astra Pearl Natural

Floor: Astra Pearl Paver



# ASTRA SAND

Wall: Astra Sand Paver & Astra Sand Rock



Floor: Astra Sand Natural

[www.oasistiles.in](http://www.oasistiles.in)





## ASTRA SILVER

Wall: Astra Silver Rock

Floor: Astra Silver Natural & Astra Silver Paver







| INTERNATIONAL DEPARTURES |           |      |           |
|--------------------------|-----------|------|-----------|
| time                     | to        | gate | remarks   |
| 09:05                    | LONDON    | A10  | GATE OPEN |
| 10:20                    | NEW YORK  | B09  | DELAYED   |
| 10:28                    | BUCHAREST | C42  | CANCELED  |
| 11:02                    | BUDAPEST  | A30  | ON TIME   |
|                          |           |      |           |
|                          |           |      |           |
|                          |           |      |           |

| INTERNATIONAL DEPARTURES |           |      |           |
|--------------------------|-----------|------|-----------|
| time                     | to        | gate | remarks   |
| 09:05                    | LONDON    | A10  | GATE OPEN |
| 10:20                    | NEW YORK  | B09  | DELAYED   |
| 10:28                    | BUCHAREST | C42  | CANCELED  |
| 11:02                    | BUDAPEST  | A30  | ON TIME   |
|                          |           |      |           |
|                          |           |      |           |
|                          |           |      |           |

# ASTRA SILVER


Wall: Astra Silver Rock  
Floor: Astra Silver Natural & Astra Silver Paver







**Astra Beige Natural**


Thickness-  
**8MM / 12MM**



**Astra Beige Paver**  
Thickness-**12MM**



**Astra Beige Rock**  
Thickness-**12MM**




# ASTRA BEIGE




**360°**  
view  
SCAN & TAP  
FOR 360 VIEW







**Astra Black Natural**

Thickness-  
**8MM / 12MM**



**Astra Black Paver**  
Thickness-**12MM**



**Astra Black Rock**  
Thickness-**12MM**




# ASTRA BLACK



**360°**  
view  
SCAN & TAP  
FOR 360 VIEW








**Astra Brown Natural**

Thickness-  
**8MM / 12MM**


# ASTRA BROWN



**Astra Brown Paver**  
Thickness-**12MM**




**Astra Brown Rock**  
Thickness-**12MM**



**360°**  
view  
SCAN & TAP  
FOR 360 VIEW








**Astra Cotta Natural**

Thickness-  
**8MM / 12MM**


# ASTRA COTTA



**Astra Cotta Paver**  
Thickness-**12MM**



**Astra Cotta Rock**  
Thickness-**12MM**



**360°**  
view  
SCAN & TAP  
FOR 360 VIEW







**Astra Grey Natural**

Thickness-  
**8MM / 12MM**

# ASTRA GREY



**Astra Grey Paver**  
Thickness-**12MM**




**Astra Grey Rock**  
Thickness-**12MM**




**360°**  
view  
SCAN & TAP  
FOR 360 VIEW







**Astra Pearl Natural**


Thickness-  
**8MM / 12MM**



**Astra Pearl Paver**  
Thickness-**12MM**



**Astra Pearl Rock**  
Thickness-**12MM**



# ASTRA PEARL



**360°**  
view  
SCAN & TAP  
FOR 360 VIEW








**Astra Sand Natural**

Thickness-  
**8MM / 12MM**


# ASTRA SAND



**Astra Sand Paver**  
Thickness-**12MM**




**Astra Sand Rock**  
Thickness-**12MM**



**360°**  
view  
SCAN & TAP  
FOR 360 VIEW








**Astra Silver Natural**

Thickness-  
**8MM / 12MM**

# ASTRA SILVER



**Astra Silver Paver**  
Thickness-**12MM**



**Astra Silver Rock**  
Thickness-**12MM**



**360°**  
view  
SCAN & TAP  
FOR 360 VIEW



Technical Specifications

600X600MM

|                               | Characteristics             | Standard As Per Iso-13006/ En14411 Group Bla | Mean V value Of Our Fullbody Vitrified Tiles | Test Method  |
|-------------------------------|-----------------------------|----------------------------------------------|----------------------------------------------|--------------|
| Regulatory Properties         | Deviation In Length & Width | ± 0.50%                                      | ± 0.20%                                      | ISO-10545-2  |
|                               | Deviation In Thickness      | ± 5.00%                                      | ± 4.00%                                      | ISO-10545-2  |
|                               | Straightness Of Sides       | ± 0.50%                                      | ± 0.10%                                      | ISO-10545-2  |
|                               | Rectangularity              | ± 0.50%                                      | ± 0.20%                                      | ISO-10545-2  |
|                               | Surface Flatness            | ± 0.50%                                      | ±0.20%                                       | ISO-10545-2  |
|                               | Color Differences           | Unaltered                                    | No Change                                    | ISO-10545-16 |
| Structural Properties         | Water Absorption            | < 0.50%                                      | < 0.05%                                      | ISO-10545-3  |
|                               | Apparent Density            | > 2.00 glee                                  | > 2.28 glee                                  | DIN 51082    |
| Massive Mechanical Properties | Modulus of Rupture          | Min. 35N/mm2                                 | Min. 45N/mm'                                 | ISO-10545-4  |
|                               | Breaking Strength           | Min. 1300 N                                  | 8mm - Min. 1570 N                            | ISO-10545-4  |
|                               |                             |                                              | 12mm - Min. 2500 N                           |              |
|                               | Impact Resistance           | As Per Mfg.                                  | Min. 0.55                                    | ISO-10545-5  |
| Surface Mechanical Properties | Deep Abrasion Resistance    | Max. 175mm'                                  | Max. 132mm'                                  | ISO-10545-6  |
|                               | Moh's Hardness              | Min. 6                                       | 7                                            | EN 101       |
|                               | Surface Abrasion Resistance | As Per Mfg.                                  | N. A                                         | ISO-10545-7  |
| Thermo Hygrometric Properties | Frost Resistance            | No Damage                                    | Frost Proof                                  | ISO-10545-12 |
|                               | Thermal Shock Resistance    | No Damage                                    | No Damage                                    | ISO-10545-9  |
|                               | Moisture Expansion          | Nil                                          | Nil                                          | ISO-10545-10 |
|                               | Thermal Expansion(COE)      | Max. 9.0 x 10 <sup>-1</sup>                  | Max. 6.5 X 10"                               | ISO-10545-8  |
|                               | Crazing Resistance          | As Per Mfg.                                  | N. A.                                        | ISO-10545-11 |
| Chemical Properties           | Chemical Resistance         | No Damage                                    | No Damage                                    | ISO-10545-13 |
|                               | Stain Resistance            | Resistant                                    | Resistant                                    | ISO-10545-14 |
| Safety Properties             | Slip Resistance             | > 0.40                                       | > 0.40                                       | ISO-10545-17 |

PACKING DETAILS

| Size (in mm)     | No.of Pcs | Sq. Mtr | Sq. Ft (approx) | Weight (in kgs) (approx) |
|------------------|-----------|---------|-----------------|--------------------------|
| 600X600MM (8MM)  | 4         | 1.44    | 15.50           | 25.50                    |
| 600X600MM (12MM) | 3         | 1.08    | 11.62           | 27.50                    |







#### CORPORATE OFFICE:

OASIS VITRIFIED PVT. LTD.  
8-A, N.H., Kandla Road,  
Morbi - 363 642, Gujarat, INDIA

+91 70462 88888  
info@oasistiles.in  
www.oasistiles.in

#### DELHI OFFICE:

0-3/1, BI Extn., 1st Floor,  
Mohan Co-operative Ind. Estate,  
New Delhi - 110 044, INDIA

+91 99090 00574  
delhi@oasistiles.in

#### MUMBAI OFFICE:

Limited Situated At Plot No. - B9, New  
Link Road, Oshiwara, Andheri (West),  
Mumbai - 400053, INDIA

+91 70430 73376  
mumbai@oasistiles.in

#### BANGLORE OFFICE:

No. 25, 1st Floor, GR Mansion,  
TC Palya Main Road, RM Nagar,  
Bangalore - 560 016, Karnataka, INDIA

+91 99747 42428  
karnataka@oasistiles.in

#### BHUBHNESHWAR OFFICE:

Plot No. 3951/8993, Puri Bypass Road,  
Pandra, Bhubaneswar - 751 010,  
Orissa, INDIA

+91 72289 53167  
orissa@oasistiles.in

#### DUBAI OFFICE:

P.B. No. 98197, Sharjha  
United Arab Emirates.

+971 559519123  
+91 99090 12388  
dubai@oasistiles.in

#### INTERNATIONAL INQUIRY:

OASIS TILES INDIA

+91 99099 88668  
export@oasistiles.in